

PORST
11.3.18.1 V4



NPDES #1300 Oily Discharge General
Permit
Discharge Monitoring Report

Submit report monthly by 15th
of following month to:
Oregon DEQ
2020 SW 4th Avenue, Suite 400
Portland, Oregon 97201

Legal Name: KINDER MORGAN LIQUID TERMINALS LLC

Site/File ID #: 32300

Common Name: LINNTON TERMINAL

County: MULTNOMAH

Facility Location: 11400 NW ST HELENS RD , PORTLAND

Month/Year Jan. 2016

Monitoring for Oil/Water Separator

Tank 3034

Day	Oil and Grease (mg/L)	Visible Sheen	Ethanol and/or MBTE	Flow
	Frequency varies, see permit	Daily, visual observation	Quarterly grab sample, if present on site and in bulk	Daily estimate, when discharging
Limit	10 mg/L monthly, 15 mg/L daily max.	No visible sheen at any time	No limit	No limit
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11	ND			125,313
12				
13				
14				
15				
16				
17	2.3			
18				
19				125,258
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31	ND			125,688
Total	2.3			376159
Max.	2.3			125,588
Average	0.8			12134

See Reverse Side for Additional Monitoring and Signature Block

USEPA SF



1288156

Stormwater Monitoring

Only for facilities required to have NPDES permits for stormwater, per 40 CFR 122.26
Monitoring required for each point identified in the Stormwater Pollution Control Plan

Day	Visible Sheen	Floating Solids (associated with industry)	Total Copper (mg/L)	Total Lead (mg/L)	Total Zinc (mg/L)	pH (S.U.)	Total Suspended Solids (mg/L)
	Daily when discharging, visual observation	Once per month when discharging	Twice per year, grab sample	Twice per year, grab sample	Twice per year, grab sample	Twice per year, grab sample	Twice per year, grab sample
Limit	No visible sheen	No visible discharge*	0.1 mg/L*	0.4 mg/L*	0.6 mg/L*	Within 6.0 to 9.0	130 mg/L*
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11						6.0	
12							
13							
14							
15							
16							
17						6.0	
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31						6.0	
Total							
Max.							
Average							

*These are benchmarks, not effluent limits. If benchmarks are exceeded, review/possible revision of Stormwater plan is required. See permit for more details.

Signature Requirement

I certify, under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

Signature of Responsible Official: *[Signature]*

Name and Title (Please Print): Steven Turgate Field Scheduler

Date of Signature: 2-6-06

Telephone: 503 220 1276



CERTIFICATE OF ANALYSIS

CLIENT: Kinder-Morgan Corporation
ATTN: Steve Tungate
5880 NW St. Helens Rd
Portland OR, 97110

PROJECT NAME: Linnton T-3034
PROJECT NUMBER: NPDES 001

PHONE: (503) 220-1276
FAX: (503) 220-1270

SUBMITTED: 01/30/06 15:08

REPORT DATE: 02/03/06 14:36

REPORT NUMBER: 6013011

PAGE: 1 OF 1

CI SAMPLE	CLIENTS ID#	DATE	TIME	MATRIX
6013011-01	T-3034 Batch 03-06	01/30/2006	0730	Water

SAMPLE/ ANALYSIS	METHOD	PARAMETER	RESULTS	UNITS	DETECTION LIMIT	TECH	DATE/TIME	NOTES
6013011-01	SAMPLE ID: T-3034 Batch 03-06							
General Bench Analysis								
O & G, TOTAL (HEM)	EPA 1664	TOTAL OIL AND GREASE	ND	mg/L	2.0	JRW	01/31/2006 14:53	

General Bench Analysis - Quality Control


Batch/Sample/Analyte	Result	Detection Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
BATCH: Batch 6A31005 - Water Extraction										
QC SAMPLE: Blank (6A31005-BLK1)					Prepared: 01/31/06 Analyzed: 02/01/06					
TOTAL OIL AND GREASE	ND	2.0	mg/L							
SAMPLE: LCS (6A31005-BS1)					Prepared: 01/31/06 Analyzed: 02/01/06					
TOTAL OIL AND GREASE	36.0	2.0	mg/L	40.6		88.7	79-114			
QC SAMPLE: LCS Dup (6A31005-BSD1)					Prepared: 01/31/06 Analyzed: 02/01/06					
TOTAL OIL AND GREASE	37.0	2.0	mg/L	40.6		91.1	79-114	2.74	18	

ORIGINAL

report may not be reproduced except in full.

Authorized for Release By:

Richard D. Reid - Laboratory Director



CERTIFICATE OF ANALYSIS

CLIENT: Kinder-Morgan Corporation
ATTN: Steve Tungate
5880 NW St. Helens Rd
Portland OR, 97210

PROJECT NAME: Linnton T-3034
PROJECT NUMBER: NPDES 001

PHONE: (503) 220-1276
FAX: (503) 220-1270

SUBMITTED: 01/30/06 15:08

REPORT DATE: 02/03/06 14:36		REPORT NUMBER: 6013011			PAGE: 1 OF 1			
CI SAMPLE	CLIENTS ID#	DATE	TIME	MATRIX				
6013011-01	T-3034 Batch 03-06	01/30/2006	0730	Water				
SAMPLE/ ANALYSIS	METHOD	PARAMETER	RESULTS	UNITS	DETECTION LIMIT	TECH	DATE/TIME	NOTES
6013011-01	SAMPLE ID: T-3034 Batch 03-06							
General Bench Analysis								
O & G, TOTAL (HEM)	EPA 1664	TOTAL OIL AND GREASE	ND	mg/L	2.0	JRW	01/31/2006 14:53	

General Bench Analysis - Quality Control

Batch/Sample/Analyte	Result	Detection Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
BATCH: Batch 6A31005 - Water Extraction										
QC SAMPLE: Blank (6A31005-BLK1)					Prepared: 01/31/06 Analyzed: 02/01/06					
TOTAL OIL AND GREASE	ND	2.0	mg/L							
C SAMPLE: LCS (6A31005-BS1)					Prepared: 01/31/06 Analyzed: 02/01/06					
TOTAL OIL AND GREASE	36.0	2.0	mg/L	40.6		88.7	79-114			
QC SAMPLE: LCS Dup (6A31005-BSD1)					Prepared: 01/31/06 Analyzed: 02/01/06					
TOTAL OIL AND GREASE	37.0	2.0	mg/L	40.6		91.1	79-114	2.74	18	

This report may not be reproduced except in full.

Authorized for Release By:

Richard D. Reid - Laboratory Director

**TANK 3034
DISCHARGE REPORT**

NPDES Permit No. 1300-J

*Kinder Morgan
Linnton Terminal
11400 NW St. Helens Road
Portland, Oregon 97231*

Batch No.: 03-06
Batch # and Year

Start of Discharge:

Date	Start Time	Beginning Gauge Reading Gallons	Person Starting Discharge
1/31/06	0600	127351	TS

End of Discharge:

Date	Ending Time	Ending Gauge Reading Gallons	Person Ending Discharge
1/31/06	1700	1763	TS

Total Gallons Discharged = 125588

NON-COMMERCIAL BILL OF LADING

☐ 797 Channel Street, San Pedro, CA 90731

Ph: (310) 833-1557 Fax: (310) 833-1585

[illegible]

Relinquished By:	Date/Time	Received By:	Date/Time	FOR LABORATORY USE ONLY	
<i>[Signature]</i>	0730 1-30-06			Inspection Job Number: _____	PO# _____
Relinquished By:	Date/Time	Received By:	Date/Time	Laboratory Project Number: _____	Cash/check # _____
		<i>[Signature]</i>	1/30/06 1305	Due Date: _____	Amount Paid: \$ _____

Sample Acceptance Policy

All samples must meet the following requirements:

- **Chain of Custody:** The COC list of samples must match the number and type of sample containers received, and sample descriptions on the COC must match the sample bottles. The requested tests and where possible, specific methods are shown on the COC.
- **Appropriate Container:** The correct sample containers must be used for the requested analyses.
- **Sample Volume:** There must be sufficient sample volume for the test(s) requested.
- **Holding Time:** The holding times for the requested analyses must not be expired.

Environmental samples must meet the following additional requirements:

- **Sample Temperature:** Samples that require refrigeration shall be considered acceptable if the temperature as measured upon receipt is either within 2° C of the required temperature or the method specified range. For samples with a specified temperature of 4° C, samples received at temperatures ranging from just above freezing to 6° C shall be acceptable.

NOTE: Samples that are delivered to the laboratory shortly after sampling may not meet this criterion. However, the samples shall be considered acceptable if there is evidence that the chilling process has begun such as arrival on ice, or if the samples were taken within the hour.

- **Sample Preservation:** Where possible without sacrificing the integrity of the sample, determine whether the sample bottle has been preserved correctly.

Discrepancies:

If there is any doubt as to the suitability for testing such as the **sample does not conform to the sample description**, the sample containers are **damaged, leaking, or may be contaminated from other damaged or leaking sample containers**, or where **testing is not specified**, further instructions from the client are required. If the issue cannot be resolved and the sample does not meet sample acceptance criteria the laboratory shall either.

- Fully document any decision to proceed with the analysis and note the condition of the sample on the COC and work order; or
- Retain correspondence and/or records of conversations regarding the final disposition of rejected samples.

Rejected Samples:

- Should the client choose to proceed with testing on questionable samples, the Work Order must be clearly marked with the nature of the problem so that the final report data may be appropriately qualified.
- Rejected samples must still be logged into LIMS to obtain a unique sample identification number to track sample disposition. However, for rejected samples, no testing is assigned. Instead, the sample status is set to "Rejected" by editing the work order status using the Update Status function of the Laboratory menu in LIMS.

Refer to the Columbia Inspection, Inc. Laboratory Policy, LP00.01, Sample Acceptance Policy and SOP15.01 Sample Receipt for complete details.

Sample Disposal:

- Samples are disposed of after 45 days unless prior arrangements have been made with the laboratory.
- Samples that are deemed hazardous may be returned to the client for proper disposal.



CERTIFICATE OF ANALYSIS

CLIENT: Kinder-Morgan Corporation
ATTN: Steve Tungate
5880 NW St. Helens Rd
Portland OR, 92710

PROJECT NAME: Linnton T-3034
PROJECT NUMBER: NPDES 001

PHONE: (503) 220-1276
FAX: (503) 220-1270

SUBMITTED: 01/18/06 09:10

REPORT DATE: 01/20/06 07:37 REPORT NUMBER: 6011803 PAGE: 1 OF 1

CI SAMPLE	CLIENTS ID#	DATE	TIME	MATRIX
6011803-01	Tank 3034, Batch 02-06	01/17/2006	0900	Water

SAMPLE/ ANALYSIS	METHOD	PARAMETER	RESULTS	UNITS	DETECTION LIMIT	TECH	DATE/TIME	NOTES
6011803-01	SAMPLE ID: Tank 3034, Batch 02-06							
General Bench Analysis								
O & G, TOTAL (HEM)	EPA 1664	TOTAL OIL AND GREASE	2.3	mg/L	2.0	JRW	01/18/2006 13:14	

General Bench Analysis - Quality Control

Batch/Sample/Analyte	Result	Detection Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
BATCH: Batch 6A18004 - Water Extraction										
QC SAMPLE: Blank (6A18004-BLK1)					Prepared & Analyzed: 01/18/06					
TOTAL OIL AND GREASE	ND	2.0	mg/L							
QC SAMPLE: LCS (6A18004-BS1)					Prepared & Analyzed: 01/18/06					
TOTAL OIL AND GREASE	34.1	2.0	mg/L	40.6		84.0	79-114			
QC SAMPLE: LCS Dup (6A18004-BSD1)					Prepared & Analyzed: 01/18/06					
TOTAL OIL AND GREASE	32.7	2.0	mg/L	40.6		80.5	79-114	4.19	18	

ORIGINAL

report may not be reproduced except in full.

Authorized for Release By:

Richard D. Reid - Laboratory Director

TANK 3034
DISCHARGE REPORT

NPDES Permit No. 1300-J

*Kinder Morgan
Linnnton Terminal
11400 NW St. Helens Road
Portland, Oregon 97231*

Batch No.: 2-06
Batch # and Year

Start of Discharge:

Date	Start Time	Beginning Gauge Reading Gallons	Person Starting Discharge
1-19/06	0600	127351	<i>MB</i>

End of Discharge:

Date	Ending Time	Ending Gauge Reading Gallons	Person Ending Discharge
1-19-06	1230	2093	<i>MB</i>

Total Gallons Discharged = 125,258




NON-COMMERCIAL BILL OF LADING

☐ 797 Channel Street, San Pedro, CA 90731

Ph: (310) 833-1557 Fax: (310) 833-1585

Project Name: LINCOLN
Project Number: T-3034
P.O. Number: 02-06
Testing Priority _____ Notification Method(s) FAK
☐ Normal ☒ Telephone
☒ Rush ☐ Email
Due Date: 1-9-06 ☐ Mail

[illegible]

Relinquished By: 	Date/Time 1-17-06 0900	Received By: 	Date/Time 1-18-06 0902	FOR LABORATORY USE ONLY	
Relinquished By	Date/Time	Received By: 	Date/Time 1-18-06 0910		

Sample Acceptance Policy

All samples must meet the following requirements:

- **Chain of Custody:** The COC list of samples must match the number and type of sample containers received, and sample descriptions on the COC must match the sample bottles. The requested tests and where possible, specific methods are shown on the COC.
- **Appropriate Container:** The correct sample containers must be used for the requested analyses.
- **Sample Volume:** There must be sufficient sample volume for the test(s) requested.
- **Holding Time:** The holding times for the requested analyses must not be expired.

Environmental samples must meet the following additional requirements:

- **Sample Temperature:** Samples that require refrigeration shall be considered acceptable if the temperature as measured upon receipt is either within 2° C of the required temperature or the method specified range. For samples with a specified temperature of 4° C, samples received at temperatures ranging from just above freezing to 6° C shall be acceptable.

NOTE: Samples that are delivered to the laboratory shortly after sampling may not meet this criterion. However, the samples shall be considered acceptable if there is evidence that the chilling process has begun such as arrival on ice, or if the samples were taken within the hour.

- **Sample Preservation:** Where possible without sacrificing the integrity of the sample, determine whether the sample bottle has been preserved correctly.

Discrepancies:

If there is any doubt as to the suitability for testing such as the sample does not conform to the sample description, the sample containers are damaged, leaking, or may be contaminated from other damaged or leaking sample containers, or where testing is not specified, further instructions from the client are required. If the issue cannot be resolved and the sample does not meet sample acceptance criteria the laboratory shall either.

- Fully document any decision to proceed with the analysis and note the condition of the sample on the COC and work order; or
- Retain correspondence and/or records of conversations regarding the final disposition of rejected samples.

Rejected Samples:

- Should the client choose to proceed with testing on questionable samples, the Work Order must be clearly marked with the nature of the problem so that the final report data may be appropriately qualified.
- Rejected samples must still be logged into LIMS to obtain a unique sample identification number to track sample disposition. However, for rejected samples, no testing is assigned. Instead, the sample status is set to "Rejected" by editing the work order status using the Update Status function of the Laboratory menu in LIMS.

Refer to the Columbia Inspection, Inc. Laboratory Policy, LP00.01, Sample Acceptance Policy and SOP15.01 Sample Receipt for complete details.

Sample Disposal:

- Samples are disposed of after 45 days unless prior arrangements have been made with the laboratory.
- Samples that are deemed hazardous may be returned to the client for proper disposal.



CERTIFICATE OF ANALYSIS

CLIENT: Kinder-Morgan Corporation
ATTN: Steve Tungate
5880 NW St. Helens Rd
Portland OR, 92710

PROJECT NAME: Linnton T-3034
PROJECT NUMBER: NPDES 001

PHONE: (503) 220-1276
FAX: (503) 220-1270

SUBMITTED: 01/09/06 10:40

REPORT DATE: 01/10/06 15:13 REPORT NUMBER: 6010902 PAGE: 1 OF 1

CI SAMPLE	CLIENTS ID#	DATE	TIME	MATRIX
6010902-01	Tank 3034, Batch 01-06	01/09/2006	0830	Water

SAMPLE/ ANALYSIS	METHOD	PARAMETER	RESULTS	UNITS	DETECTION LIMIT	TECH	DATE/TIME	NOTES
6010902-01	SAMPLE ID: Tank 3034, Batch 01-06							
General Bench Analysis								
O & G, TOTAL (HEM)	EPA 1664	TOTAL OIL AND GREASE	ND	mg/L	2.0	JRW	01/10/2006 15:02	

General Bench Analysis - Quality Control

Batch/Sample/Analyte	Result	Detection Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
BATCH: Batch 6A10015 - Water Extraction										
QC SAMPLE: Blank (6A10015-BLK1)					Prepared & Analyzed: 01/10/06					
TOTAL OIL AND GREASE	ND	2.0	mg/L							
QC SAMPLE: LCS (6A10015-BS1)					Prepared & Analyzed: 01/10/06					
TOTAL OIL AND GREASE	32.8	2.0	mg/L	40.6		80.8	79-114			
QC SAMPLE: LCS Dup (6A10015-BSD1)					Prepared & Analyzed: 01/10/06					
TOTAL OIL AND GREASE	34.2	2.0	mg/L	40.6		84.2	79-114	4.18	18	

ORIGINAL

Report may not be reproduced except in full.

Authorized for Release By:

Richard D. Reid - Laboratory Director

TANK 3034
DISCHARGE REPORT

NPDES Permit No. 1300-J

*Kinder Morgan
Linnton Terminal
11400 NW St. Helens Road
Portland, Oregon 97231*Batch No.: 01-06
Batch # and Year

Start of Discharge:

Date	Start Time	Beginning Gauge Reading Gallons	Person Starting Discharge
1/11/06	0930	127351	ATS

End of Discharge:

Date	Ending Time	Ending Gauge Reading Gallons	Person Ending Discharge
1/12/06	0600	2038	MB

Total Gallons Discharged = 125,313

NON-COMMERCIAL BILL OF LADING

☐ 797 Channel Street, San Pedro, CA 90731

Ph: (310) 833-1557 Fax: (310) 833-1585

[illegible]

Sample Acceptance Policy

All samples must meet the following requirements:

- **Chain of Custody:** The COC list of samples must match the number and type of sample containers received, and sample descriptions on the COC must match the sample bottles. The requested tests and where possible, specific methods are shown on the COC.
- **Appropriate Container:** The correct sample containers must be used for the requested analyses.
- **Sample Volume:** There must be sufficient sample volume for the test(s) requested.
- **Holding Time:** The holding times for the requested analyses must not be expired.

Environmental samples must meet the following additional requirements:

- **Sample Temperature:** Samples that require refrigeration shall be considered acceptable if the temperature as measured upon receipt is either within 2° C of the required temperature or the method specified range. For samples with a specified temperature of 4° C, samples received at temperatures ranging from just above freezing to 6° C shall be acceptable.

NOTE: Samples that are delivered to the laboratory shortly after sampling may not meet this criterion. However, the samples shall be considered acceptable if there is evidence that the chilling process has begun such as arrival on ice, or if the samples were taken within the hour.

- **Sample Preservation:** Where possible without sacrificing the integrity of the sample, determine whether the sample bottle has been preserved correctly.

Discrepancies:

If there is any doubt as to the suitability for testing such as the sample does not conform to the sample description, the sample containers are damaged, leaking, or may be contaminated from other damaged or leaking sample containers, or where testing is not specified, further instructions from the client are required. If the issue cannot be resolved and the sample does not meet sample acceptance criteria the laboratory shall either.

- Fully document any decision to proceed with the analysis and note the condition of the sample on the COC and work order; or
- Retain correspondence and/or records of conversations regarding the final disposition of rejected samples.

Rejected Samples:

- Should the client choose to proceed with testing on questionable samples, the Work Order must be clearly marked with the nature of the problem so that the final report data may be appropriately qualified.
- Rejected samples must still be logged into LIMS to obtain a unique sample identification number to track sample disposition. However, for rejected samples, no testing is assigned. Instead, the sample status is set to "Rejected" by editing the work order status using the Update Status function of the Laboratory menu in LIMS.

Refer to the Columbia Inspection, Inc. Laboratory Policy, LP00.01, Sample Acceptance Policy and SOP15.01 Sample Receipt for complete details.

Sample Disposal:

- Samples are disposed of after 45 days unless prior arrangements have been made with the laboratory.
- Samples that are deemed hazardous may be returned to the client for proper disposal.

API SEPARATOR DISCHARGE REPORT
NPDES Permit No. 1300-J

Kinder Morgan Linnton Terminal
11400 NW St. Helens Road
Portland, Oregon 97231

API Separator
Direct Discharge to Out Fall:

Month JAN Year 06

Start Time <u>0600</u>	Date <u>1-18-06</u>	Person Starting API Discharge <u>AIS</u>
End Time <u>1100</u>	Date <u>1-18-06</u>	Person Ending API Discharge <u>AIS</u>

Minutes (300) x GPM Flow Rate (275) = 82500 Total Gallons Discharged

Start Time <u>0630</u>	Date <u>1-30-06</u>	Person Starting API Discharge <u>AIS</u>
End Time <u>1330</u>	Date <u>1-30-06</u>	Person Ending API Discharge <u>AIS</u>

Minutes (420) x GPM Flow Rate (275) = 115500 Total Gallons Discharged

Start Time <u>0600</u>	Date <u>1-31-06</u>	Person Starting API Discharge <u>AIS</u>
End Time <u>1700</u>	Date <u>1-31-06</u>	Person Ending API Discharge <u>AIS</u>

Minutes () x GPM Flow Rate (275) = 181500 Total Gallons Discharged

☐ By checking this box, Kinder Morgan certifies that there were NO discharges through the
 NPDES Out Fall for the month.

Signature: [Signature] Date: 1-31-06

API SEPARATOR DISCHARGE REPORT
NPDES Permit No. 1300-J

Kinder Morgan Linnton Terminal
11400 NW St. Helens Road
Portland, Oregon 97231

API Separator
Direct Discharge to Out Fall:

Month JAN Year 06

Start Time <u>0530</u>	Date <u>1-10-06</u>	Person Starting API Discharge <u>AES</u>
End Time <u>0800</u>	Date <u>1-10-06</u>	Person Ending API Discharge <u>AES</u>

Minutes (150) x GPM Flow Rate (275) = 41250 Total Gallons Discharged

Start Time <u>0630</u>	Date <u>1-11-06</u>	Person Starting API Discharge <u>AES</u>
End Time <u>1230</u>	Date <u>1-11-06</u>	Person Ending API Discharge <u>AES</u>

Minutes (360) x GPM Flow Rate (275) = 99000 Total Gallons Discharged

Start Time <u>0730</u>	Date <u>1-17-06</u>	Person Starting API Discharge <u>AES</u>
End Time <u>1330</u>	Date <u>1-17-06</u>	Person Ending API Discharge <u>AES</u>

Minutes (360) x GPM Flow Rate (275) = 99000 Total Gallons Discharged

☐ By checking this box, Kinder Morgan certifies that there were NO discharges through this NPDES Out Fall for the month.

Signature: [Signature] Date: 1-17-06

API SEPARATOR DISCHARGE REPORT
NPDES Permit No. 1300-J

Kinder Morgan Linnton Terminal
11400 NW St. Helens Road
Portland, Oregon 97231

API Separator
Direct Discharge to Out Fall:

Month JAN Year 06

Start Time <u>0800</u>	Date <u>1/1/06</u>	Person Starting API Discharge <u>ATB</u>
End Time <u>0900</u>	Date <u>1/1/06</u>	Person Ending API Discharge <u>ATB</u>

Minutes (60) x GPM Flow Rate (275) = 16500 Total Gallons Discharged

Start Time <u>0815</u>	Date <u>1/2/06</u>	Person Starting API Discharge <u>ATB</u>
End Time <u>1130</u>	Date <u>1/2/06</u>	Person Ending API Discharge <u>ATB</u>

Minutes (195) x GPM Flow Rate (275) = 53625 Total Gallons Discharged

Start Time <u>1130</u>	Date <u>1/9/06</u>	Person Starting API Discharge <u>ATB</u>
End Time <u>1430</u>	Date <u>1/9/06</u>	Person Ending API Discharge <u>ATB</u>

Minutes (180) x GPM Flow Rate (275) = 49500 Total Gallons Discharged

☐ By checking this box, Kinder Morgan certifies that there were NO discharges through this NPDES Out Fall for the month.

Signature: [Signature] Date: 1-9-06